

# GO User Guide



## Accessing GO With an RSA Hard Token

The Global OpenNet (GO) system can be accessed with an RSA Hard Token passcode. Once properly set up, users will utilize 1) their OpenNet Username and Password and 2) a PIN plus an RSA Token passcode to access the GO system using their desktop or laptop computer.

Global OpenNet (GO) users must provide the following information to access the system:



1. OpenNet Username
2. OpenNet Password
3. RSA Pin + Passcode



Before logging into the GO system, it is necessary to follow this preliminary system setup procedure and compatibility check. Please go through these initial steps before performing any of the procedures that follow later in this document.

**NOTE:** Although this “GO User Guide – Accessing GO with an RSA Soft Token” provides information for all GO users, for instructions on using a Mac system to access GO, see “GO Quick Guide for Mac”, or for more detailed instructions, “GO User Guide for Mac”.

### 1.1. GO System Access and Setup

| Steps  | Screen |
|--|--------|
| <p>1. Access the GO System via <a href="http://go.state.gov">http://go.state.gov</a>. On the GO Home Page, touch the “Required System Setup” tab at the top of the page, and in the drop down menu, select <b>Required System Setup – Windows</b> or <b>Required System Setup – Mac</b>. After selecting it, either the Windows or Mac Required System Setup page will appear below, as per the Windows page shown on the right.</p> |        |

| Steps   | Screen  |
|---|---|
| <p>2. Ensure TLS v1.0 is enabled in your browser. To do this, in Internet Explorer navigate to <b>"Tools" &gt; "Internet Options"</b>, and then select the <b>"Advanced Tab"</b>, and check mark <b>"Use TLS v1.0"</b> if it is not already check marked, as shown in the screen to the right. Click on the <b>"Apply"</b> button.</p> <p><i>All screens are from Windows Internet Explorer. If you are using Mozilla Firefox, Google Chrome, or another web browser, equivalent "Internet Options" screens with equivalent "Advanced" settings can be displayed.</i></p> |  <p>The screenshot shows the 'Internet Options' dialog box with the 'Advanced' tab selected. In the 'Settings' section, the 'Use TLS 1.0' checkbox is checked and highlighted with a red rectangle. Other visible settings include 'Use SSL 3.0' (checked), 'Warn about certificate address mismatch*' (checked), 'Warn if changing between secure and not secure mode' (checked), and 'Warn if POST submittal is redirected to a zone that does not...' (checked). At the bottom, there are buttons for 'OK', 'Cancel', and 'Apply'.</p>   |
| <p>3. Next, in the same <b>"Internet Options"</b> window, click on the <b>"Security"</b> Tab, and in the <b>"Select a zone..."</b> field near the top, click on the <b>"Local Intranet"</b> icon, and then <b>click on the "Sites"</b> button.</p>  |  <p>The screenshot shows the 'Internet Options' dialog box with the 'Security' tab selected. In the 'Select a zone to view or change security settings.' section, the 'Local intranet' icon is highlighted with a red rectangle. Below this, the 'Local intranet' section is expanded, showing a description: 'This zone is for all websites that are found on your intranet.' To the right of this section, the 'Sites' button is highlighted with a red rectangle. Below the 'Local intranet' section, there is a 'Security level for this zone' section with a slider set to 'Medium-low' and a list of allowed levels. At the bottom, there are buttons for 'OK', 'Cancel', and 'Apply'.</p> |

| Steps   | Screen  |
|---|---|
| <p>4. Next click on the “<b>Advanced</b>” button.</p>   |   |
| <p>5. When the “<b>Local Intranet</b>” screen displays, in the “Add this website to the zone:” field, type “<b>*.state.gov</b>” and “<b>*.state.sbu</b>” and click the “<b>Add</b>” button for each address. Then select “<b>Close</b>”. Click on “<b>OK</b>” and then “<b>OK</b>” again, to exit Internet Options.</p> |  |

| Steps  | Screen   |
|--|--|
| <p>6. Return to the “<b>Required System Setup</b>” screen (see illustrations on right), and under the correct OS , <b>for Windows click</b> on the “<b>Java</b>” and “<b>Citrix</b>” items to install them in your system; and <b>for Mac, click</b> on the “<b>Citrix</b>” item to install it. Follow the on screen setup instructions when installing:</p> <ul style="list-style-type: none"> <li>• Install Java (Windows only)</li> <li>• Install Citrix Plug-In (Windows, Mac)</li> </ul> <p><i><b>NOTE to MAC users:</b> to make sure that pop-up windows are allowed, display the “Safari” menu in the browser and uncheck “Block Pop-Up Windows”. For Mac instructions, see “<a href="#">GO Quick Guide for Mac</a>”, or for more detailed instructions, “<a href="#">GO User Guide for Mac</a>”.</i></p> <p><i><b>NOTE:</b> Wait to install “Printing Software” until after you have successfully logged in.</i></p> |   |





## 1.2. Log In With an RSA Hard Token



Perform the steps below to initially create your PIN using your RSA Hard Token, and to then login to the GO system using your PIN plus the RSA Hard Token passcode.




| Steps  | Screen   |
|--|--|
| <p>1. On the GO home page, read and accept the system authorization and consent notice, and then select the <b>"I agree"</b> button below the notice.</p>  |    |
| <p>2. When the <b>Log on</b> page displays, select the icon corresponding to your <b>Windows</b> (or Mac) Operating System (OS).</p> <p><i><b>NOTE:</b> For detailed instructions on using a Mac system to access GO, see <a href="#">"GO Quick Guide for Mac"</a>, or for more detailed instructions, <a href="#">"GO User Guide for Mac"</a></i></p> |  |
| <p>3. Clicking on the Windows icon will bring up the GO <b>Sign In</b> screen, as shown on the right.</p>  |  |







| Steps   | Screen  |
|---|---|
| <p>4. Now look at your RSA Hard Token; it automatically generates a one-time 6-digit numeric passcode. <b>This token passcode is automatically regenerated every 60 seconds.</b></p>  |   |
| <p>5. After entering your OpenNet User Name and Password, <b>enter this token passcode only</b> into the “PIN + Token Code field and select <b>Sign In</b>.</p> <p><i><b>NOTE:</b> Entering your token passcode without a PIN is valid initially to create your PIN. Once your PIN is created and for all subsequent logons, you will need to enter the PIN + token passcode, as documented in Step 7 below.</i></p>  |  <p>The screenshot shows the Global OpenNet login interface. It includes fields for User Name (Doe.JX), OpenNet Password (masked with dots), and PIN + Token Code (highlighted with a red box). A Sign In button is also highlighted with a red box.</p> <p>Below the login form, there are fields for User Name (Jane Doe), OpenNet Password (masked with dots), and PIN + Token Code (masked with green asterisks).</p>                                   |
| <p>6. You will be prompted to create a new 6 digit PIN. Enter it twice and select <b>Save PIN</b>.</p> <p><i><b>NOTE:</b> Once you have created your PIN you will not see this screen again until your PIN expires, at which time you will need to create a new unique PIN.</i></p>   |  <p>The screenshot shows the 'Welcome to the Instant Virtual Extranet' screen. It prompts the user to create a new PIN. Fields for 'New PIN' and 'Confirm PIN' are highlighted with red boxes. A 'Save PIN' button is also highlighted with a red box.</p>   |
| <p>7. Enter your OpenNet <b>Username</b> and <b>Password</b> and in the <b>PIN + Token Code</b> field, enter the PIN you just created and the one-time passcode and select <b>Sign In</b>.</p> <p><b>Example:</b> If your PIN is 123456 and the passcode displayed is 123456 then you would enter 123456123456 in the <b>PIN + Token Code</b> field.</p> <p><i><b>NOTE:</b> To continue logging in to GO, please continue with Section 1.3, Step 5 below.</i></p> |  <p>The screenshot shows the Global OpenNet login interface, identical to the one in Step 5. It includes fields for User Name (Doe.JX), OpenNet Password (masked with dots), and PIN + Token Code (highlighted with a red box). A Sign In button is also highlighted with a red box.</p> <p>Below the login form, there are fields for User Name (Jane Doe), OpenNet Password (masked with dots), and PIN + Token Code (masked with green asterisks).</p> |



## 1.3. Completing Access to GO with Your RSA Hard Token




To complete access with your RSA Hard Token, you must login with the appropriate PIN and Token passcode. Perform the steps below to access to the GO System.

| Steps   | Screen   |
|---|--|
| 1. Access the GO System by opening your browser and entering <a href="http://go.state.gov">http://go.state.gov</a> .  |    |
| 2. Read the system authorization and consent notice, and then select the “I agree” button below the notice.   |   |
| 3. Once you click on the “I agree” button, the “System Login and Information” screen appears, as shown on the right. <b>Select</b> the appropriate icon for your <b>planned Login</b> system, in this case <b>Windows</b> . |  |

| Steps   | Screen  |
|---|---|
| <p>4. Enter your OpenNet <b>Username</b>, <b>Password</b>, and the <b>appropriate pin plus passcode</b>, and then click <b>“Sign In”</b>.</p> <p>(For RSA Soft Token: Enter a numeric, 6-digit PIN + a numeric 8-digit RSA Soft Token passcode.)</p>                                  |  <p>User Name: Jane Doe</p> <p>OpenNet Password: *****</p> <p>PIN + Token Code: *****</p> |
| <p>5. When first accessing the GO System, users are prompted to enter their Active Directory (AD) domain (in DC Metro area, usually <i>washdc</i>). <b>This action only needs to be performed once.</b></p> <p>Enter your Active Directory Domain and select <b>Save Changes</b>.</p> |    |
| <p>6. You will now see the GO System Desktop Launch Screen. Select <b>User Desktop</b> to launch a remote desktop session.</p>  |   |
| <p>7. Also when first accessing the GO System, users are prompted to install the “Juniper SetupClient.cab” add-on. This action must only be performed once. <b>Next, click "Always" if prompted to complete the installation.</b></p>   |   |



| Steps  | Screen  |
|--|---|
| <p>8. The User Desktop will now launch (the first time may take up to 5 minutes – be patient!); thereafter the Desktop may take up to 30 seconds to display, depending upon your connection). You may now access applications either from the Start menu or from the User Desktop itself.</p> <p><i>NOTE: The initial GO desktop will display with only the Recycle Bin. You may customize by adding application icons and changing some of your desktop settings as you would your Windows desktop.</i></p> |   |
| <p>9. Your desktop operates in the same way as your OpenNet desktop. Select the <b>Start</b> menu to display all available applications.</p>   |  |

| Steps  | Screen  |
|--|---|
| <p><b><u>NOTE:</u></b> <i>It is very important to Log Off properly after using the GO system. Always “Log Off” using both Step 10 and Step 11.</i></p> <p>10. First, to <b>log out</b> of the <b>User Desktop</b>, you <i>must</i> use the following method:</p> <ol style="list-style-type: none"> <li>1. Click on the <b>Log off</b> button in the <b>Start</b> menu (lower left).</li> </ol>                        |   |
| <p>11. Second, to end your remote session, <b>click</b> on the “<b>Log Off</b>” button on the upper right, as shown in the figure on the right.</p> <div data-bbox="207 1020 639 1299" style="border: 2px solid red; padding: 10px; margin: 10px 0;">  <p><b>Always use the “Log Off” button to terminate a session.</b></p> </div> |  |

## 1.4. Mapping a Network Drive

Your H (Home Directory) network drive should already be available. However, if after following steps 1 and 2 below to check mapped drives, the additional drives you need do not appear, proceed with mapping. You will need the **correct network drive path**. When asked to select a drive letter, you can select any **available letter** from **I thru Z**.

**IMPORTANT:** Before you attempt to “map” to a network drive, you will need the correct drive path, which you can obtain while logged on to your office OpenNet computer. To do so, right click on “My Computer” and then click on “Explore”—the Network Drives will be listed on the right, with the path included:

**Example:** If the path shown is:


POL on 'dosintus.domain.state.sbu\tappublic\$\Officeshare\$' (P:)



The network drive path you would type to map your network drive in GO is:



[\\dosintus.domain.state.sbu\tappublic\\$\Officeshare\\$\POL](#)

**SUGGESTION:** Once you know the network drive path(s) to your additional office share(s) etc., you can **email yourself** your drive path/network share path, and when opening the email up in GO, you will have the drive path available to copy/paste when mapping your network drive while in GO. Otherwise, if you are not sure what drive path to use, please obtain the correct path from your local IRM systems staff or local system administrator, prior to attempting to map to additional network drives.

**NOTE:** Drive letters A – H are reserved for system mapping and should not be used.

| Steps   | Screen   |
|---|--|
| 1. From your GO published desktop, click on “ <b>Start</b> ”, and then click on “ <b>Documents</b> .” |  |

| Steps   | Screen  |
|---|---|
| <p>2. When the screen shown to the right displays, <b>click</b> on <b>“Computer”</b>, and a <b>list of mapped drives</b> will display on the right side under “Network Location”. Check to be sure the drive you require is not already mapped.</p> |   |
| <p>3. Next, right click on <b>“Computer”</b> and click on <b>“Map network drive.”</b></p>   |  |




| Steps  | Screen   |
|--|--|
| <p>4. GO should automatically map users to their Network Drive/ folder that they use at work. However, if your personal H: drive is not available, or you wish to connect to additional folders for common Office Files etc., follow these steps:</p> <ul style="list-style-type: none"> <li>• <b>Select a drive letter</b> that has not been used. (Drive letters A – H are reserved for system mapping and should not be used when mapping additional drives.)</li> <li>• <b>Type in the network path</b> to the drive on the Folder field (the path in the screen on the right, ‘<a href="#">dosintus.do-main.state.sbu\tappublic\$\Officshare</a>’, is only an example).</li> <li>• <b>Check the “Reconnect at login”</b> box if you want this drive to automatically map every time you are logged into GO.</li> <li>• Then <b>click Finish</b>.</li> </ul> |  <p>The screenshot shows the 'Map Network Drive' window. The 'Drive' dropdown menu is set to 'Z:'. The 'Folder' field contains the network path '\\dosintus.do-main.state.sbu\tappublic\$\Officshare'. The 'Reconnect at login' checkbox is checked. The 'Finish' button is highlighted.</p> |
| <p>5. Your mapped network drive should now appear under the “<b>Network location.</b>”</p>   |  <p>The screenshot shows the 'Computer' window. The 'Network Location (Z:)' is highlighted. The 'software (\\oneswashdca01) (Z:)' drive is shown with 19.9 GB free of 48.0 GB.</p>   |








## 1.5. Connecting to a PST File

In order to connect to a PST file, which is a Personal Folder file (.pst) in Outlook, you should have available the **path** to your **Network folder** *and* the **location** of your **PST files**. The path to your Network folder may be needed if it was not automatically mapped when accessing GO.

**Important:** Refer to section “1.4 Mapping a Network Drive” above for information on obtaining the drive path/network folder path required by using your office Desktop computer. Otherwise contact your system administrator.




| Steps   | Screen  |
|---|---|
| <ol style="list-style-type: none"> <li>1. From your GO Desktop launch <b>Microsoft Outlook</b>.</li> <li>2. Click on “<b>Tools</b>” then scroll down and click on “<b>Account Settings...</b>”</li> </ol> |  <p>The screenshot shows the Microsoft Outlook application window. The 'Tools' menu is open, and 'Account Settings...' is highlighted at the bottom of the menu. The left sidebar shows the 'Mail' folder pane with 'Inbox (200)' and 'Sent Items' visible.</p>  |
| <ol style="list-style-type: none"> <li>3. From the “<b>Account Settings</b>” dialog box, <b>click</b> on the “<b>Data Files</b>” tab and click on “<b>Add...</b>”</li> </ol>                              |  <p>The screenshot shows the 'Account Settings' dialog box. The 'Data Files' tab is selected. The 'Add...' button is highlighted with a red box and an orange arrow pointing to it. The 'Data Files' section shows 'Outlook Data Files' and a list of data files.</p>   |
| <ol style="list-style-type: none"> <li>4. Highlight the “<b>Office Outlook Personal Folders Files (.pst)</b>” and click “<b>OK</b>” to continue.</li> </ol>   |  <p>The screenshot shows the 'New Outlook Data File' dialog box. The 'Office Outlook Personal Folders File (.pst)' option is highlighted in the list. The description below states: 'Provides more storage capacity for items and folders. Supports multilingual Unicode data. Not compatible with Outlook 97, 98, 2000, and 2002.'</p> |


| Steps   | Screen  |
|---|---|
| <p>5. A “Restrictions” warning box may appear at this point. <b>Ignore</b> this warning and just <b>click OK</b>.</p>   |  <p>A dialog box titled "Restrictions" with a red 'X' icon. The text inside says: "This operation has been cancelled due to restrictions in effect on this computer. Please contact your system administrator." There is an "OK" button at the bottom right.</p>  |
| <p>6. To select an existing PST file from your home drive, scroll down and select your mapped home drive on the left side of the panel. Once your drive is selected, you can see all of your files on the right side of the panel. Highlight and select your <b>PST file</b> and click “<b>OK</b>.”</p> |  <p>A "Create or Open Outlook Data File" dialog box. The left pane shows "Local Disk (C:)" and "ChhumCX (\\esocoeentap10...)" selected. The right pane shows a list of folders, with "Personal Folders(1)" highlighted. The "File name" field contains "Personal Folders(1)" and the "Save as type" is "Personal Folders Files". The "OK" button is highlighted with a red box.</p> |
| <p>7. Click “<b>OK</b>” again to accept this PST file. And finally, click “<b>Close</b>” to exit.</p>   |  <p>A "Personal Folders" dialog box. The "Name" field is "Personal Folders". The "Filename" field is "H:\Personal Folders(1).pst" and is highlighted with a red box. The "Format" is "Personal Folders File". There are buttons for "Change Password...", "Compact Now", and "Comment". The "OK" button is highlighted with a red box.</p>  |

| Steps   | Screen  |
|---|---|
| <p>8. Click “<b>Add</b>” again if you want to <b>add an additional PST file</b>, or click “<b>Close</b>” to go back to Outlook.</p> |  <p>The screenshot shows the 'Account Settings' window with the 'Data Files' tab selected. The 'Add...' button in the top left of the list area is highlighted with a red rectangle. Below it, a table lists data files: 'Mailbox - Chhum, Charlie X' (Filename: Not available, Comment: Default) and 'Personal Folders' (Filename: Personal Folders(1).pst in H:). At the bottom right, the 'Close' button is also highlighted with a red rectangle.</p>   |
| <p>9. You should now <b>see your mapped PST file</b> on the Mail Folders in Outlook on the <b>left panel</b>.</p>                   |  <p>The screenshot shows the Outlook interface. In the left-hand 'Mail' pane, the 'Mail Folders' section is highlighted with a red rectangle. It displays a tree view of folders: 'Inbox (200)', 'Sent Items', 'Deleted Items (3)', 'Drafts (10)', 'INFO', 'Junk E-mail', 'MC', 'Outbox', 'RSS Feeds', 'SCOM', 'Sent Items', 'Search Folders', and 'Personal Folders'. A tooltip is visible over the 'Personal Folders' folder, showing details: 'Received: Mon', 'Subject: from 1', 'PowerPoint doc', and 'Size: 2 MB'.</p> |

## 1.6. GO System Log-off

It is very important to **Log Off** after using the GO system. Otherwise, the session will remain open in the system, tying up servers and blocking access for others, and possibly compromising security. There are **two important steps** to complete **Log Off**, as shown in **Step 1** and **Step 2** below. **Always “Log Off” using both of these two steps**, in the order and the manner shown.

| Steps   | Screen   |
|---|--|
| <p>1. First, to <b>log out</b> of the <b>User Desktop</b>, you <i>must</i> use the following method:</p> <ol style="list-style-type: none"> <li>1. Click on the <b>Log off</b> button in the <b>Start</b> menu (lower left).</li> </ol>   |   |
| <p>2. Second, to end your remote session, <b>click</b> on the “<b>Log Off</b>” button on the upper right, as shown in the figure on the right.</p> <div data-bbox="203 1302 600 1585" style="border: 2px solid red; padding: 10px; margin-top: 20px;">  <p><b>Always use the “Log Off” button to terminate a session.</b></p> </div> |  |

| Steps  | Screen   |
|--|--|
| <ol style="list-style-type: none"> <li>The GO Home Page screen shown here is displayed to confirm the successful exit from the GO system.</li> <li>Close the GO Home Page, by selecting <b>“Close Tab”</b> from the File menu, or clicking the <b>X</b> in the upper right of the screen.</li> </ol> |  |






## 1.7. Install Printing Software

### 1.7.1. Install Printing Software for Windows

After successfully logging into the GO system, you can then install the printing software. The GO user can install printing software for Windows-based computers from the same “Required System Setup” page. Printing software for Mac is discussed in Section 1.7.2.



| Steps  | Screen   |
|--|--|
| 1. When you bring up “ <b>Required System Setup</b> ” from the GO home page ( <a href="http://GO.State.Gov">http://GO.State.Gov</a> ), click on “ <b>Install Printing Software</b> ” under the Windows icon. |   |
| 2. When the “ <b>Do you want to run or save this file?</b> ” screen appears, first click on “ <b>Save</b> ” and “ <b>Save the ScrewDrivers Client</b> ” to your system locally, then click on <b>Run</b> .   |  |




| Steps   | Screen   |
|---|--|
| <p>3. When the “<b>Run – Don’t Run</b>” window displays, click on the “<b>Run</b>” button.</p>  |    |
| <p>4. The InstallShield Wizard will display a Progress screen.</p>  |   |
| <p>5. Confirm the installation by clicking on the “<b>Finish</b>” button.</p> <p>6. After finishing the installation successfully, printing is enabled in the GO system from the workstation.</p> |  |




## 1.7.2. Install Printing Software for Macintosh

After successfully logging into the GO system, you can then install the printing software. The GO user can install printing software for Macintosh computers from the same “Required System Setup” page.


**NOTE:** For complete instructions on using a Mac system to access GO, click on the following link: [“GO User Guide for Mac”](#).

| Steps  | Screen   |
|--|--|
| <p>1. When you bring up “Required System Setup” from the GO home page (<a href="http://GO.State.Gov">http://GO.State.Gov</a>), click on <b>“Install Printing Software”</b> under the MAC icon.</p> |   |
| <p>2. <b>Double click</b> on the <b>“Double Click to Install”</b> box to install ScrewDrivers v4.</p>  |  |

| Steps   | Screen   |
|---|--|
| <p>3. Click "<b>Continue</b>" to proceed beyond the Introduction window.</p>                    |  <p>The screenshot shows the 'Install ScrewDrivers v4 Client' window. The title bar reads 'Install ScrewDrivers v4 Client'. The main window has a sidebar on the left with a list of steps: Introduction (selected), Read Me, License, Destination Select, Installation Type, Installation, and Summary. The main content area displays 'Welcome to the ScrewDrivers v4 Client Installer.' Below this, there are 'Go Back' and 'Continue' buttons. The 'Continue' button is highlighted with a red rectangular box.</p>                                  |
| <p>4. Click "<b>Continue</b>" again to proceed beyond the Read Me information window.</p>       |  <p>The screenshot shows the 'Install ScrewDrivers v4 Client' window, now on the 'Read Me' screen. The sidebar on the left has 'Read Me' selected. The main content area is titled 'Important Information' and contains a 'ScrewDrivers v4 Client for Mac (ica only) README'. It lists requirements and change logs. At the bottom, there are 'Print...', 'Save...', 'Go Back', and 'Continue' buttons. The 'Continue' button is highlighted with a red rectangular box.</p>  |
| <p>5. Click "<b>Continue</b>" to proceed beyond the End User License Agreement information.</p> |  <p>The screenshot shows the 'Install ScrewDrivers v4 Client' window, now on the 'Software License Agreement' screen. The sidebar on the left has 'License' selected. The main content area is titled 'Software License Agreement' and contains an 'END USER LICENSE AGREEMENT' section. It includes a language dropdown set to 'English' and a scrollable text area with the agreement terms. At the bottom, there are 'Print...', 'Save...', 'Go Back', and 'Continue' buttons. The 'Continue' button is highlighted with a red rectangular box.</p> |

| Steps  | Screen   |
|--|--|
| <p>6. Select "<b>Agree</b>" to affirm compliance with the license agreement and continue with the installation.</p>            |    |
| <p>7. Click on "<b>Install</b>" to proceed with the installation.</p>  |   |
| <p>8. You will be prompted to enter your password to allow the Installer to proceed. Enter password and click "<b>OK</b>."</p> |  |



| Steps   | Screen   |
|---|--|
| <p>9. If successful, the window shown here will display. Click "<b>Close</b>" to complete the installation.</p> |  |